EXHIBIT E

BIOCHEMICALS ORGANIC COMPOUNDS

DIAGNOSTIC REAGENTS

TOLL FREE ORDERING

Ordering Hours Monday through Friday-24 Hours a Day Saturday, Sunday and Holidays-6:00 a.m. to 5:00 p.m. (CST)

Telephone

USA/Canada800-325-3010 Outside USA/Canada

(Call Collect)......314-771-5750

Bulk Inquiries - Call SAF See Page 16 for Details

FAX

USA/Canada......800-325-5052
Outside USA/Canada314-771-5757
For TWX, TELEX, Cable or Collect FAX Calls...see page 3

CUSTOMER/TECHNICAL SERVICE

Customer Service/Technical Service telephone numbers located on card inside front cover and on page 3.

Should you have any problems getting excellent service at the above numbers, please call COLLECT (anytime Day or Night, including Weekends and Holidays) 314-531-9500.



ALPHABETICAL LIST OF COMPOUNDS

PRODUCT Number	•	US S	PRODUCT NUMBER		USI
5.	HYDROXYTRYPTAMINE-AGAROSE See under: Affinity Chromatography ! Page 1768	Media	H 8877	-a-HYDROXY-n-VALERIC ACID (ot-2-Hydroxypentanoic acid) Sodium Salt	100 mg 7.60 250 mg 13.55 500 mg 22.50
5. 8002 ©35	-HYDROXY-o-TRYPTOPHAN (o-2-Amino-3-{5-hydroxy- indolyl]propionic acid)	25 mg 12.55 50 mg 20.45 100 mg 33.85		Crystalline [84176-70-5] C₅H₅O₃Na FW 140.1	1 g 37.40
	Crystalline [4350-07-6] C ₁₁ H ₁₂ N ₂ O ₃ FW 220.2	250 mg 66.45		-a-HYDROXYVALERIC ACID ETHYL ESTER (pt-2-Hydroxypentanoic acid ethyl seter: Ethyl pt 2 hydroxymalosob)	5 ml 19.75 10 ml 32.95 25 ml 72.45
5- (*8127 (************************************	-HYDROXY-oL-TRYPTOPHAN (oL-2-Amino-3-[5-hydroxy- indolyl]propionic acid)	100 mg 6.10 250 mg 9.45 500 mg 17.05		ester; Ethyl pt-2-hydroxyvalerate) d = 0.98 g/ml [16179-36-5] C ₇ H ₁₄ O ₃ FW 146.2	
Λ1.	Sigma Grade, Crystalline Approx. 99% · [114-03-4] C ₁₁ H ₁₂ N ₂ O ₃ FW 220.2	1 g 26.25 5 g 121.80	H 8885		10 g 28.70
(H 9772	-HYDROXY-L-TRYPTOPHAN (L-2-Amino-3-[5-hydroxyindolyl]-	100 mg 5.40 250 mg 8.70	₩ ₩ 9010	(2192-20-3) C ₂₁ H ₂₇ CIN ₂ O ₂ • 2HCl FW 447.8 Pamoate Sait	25 g 56.15 50 g 92.65 10 g 15.25
\ <u>6-3-C</u>	propionic acid) Hydrate [145224-90-4] C ₁₁ H ₁₂ N ₂ O ₃	1 g 16.80 5 g 46.70 25 g 179.85	• • • • • • • • • • • • • • • • • • •	(10246-75-0) C ₂₁ H ₂₇ ClN ₂ O ₂ • C ₂₃ H ₁₆ O ₆ FW 763.3	25 g 32.05 100 g 101.00
	FW 220.2 HYDROXY-DL-TRYPTOPHAN ETHYL ESTER Hydrochloride Crystalline [103404-89-3] C ₁₃ H ₁₆ N ₂ O ₃ • HCI	10 mg 7.35 50 mg 24.30 100 mg 40.35 250 mg 80.55 1 g 261.45	H 7772 ©-5%	IYGROMYCIN B From Streptomyces hygroscopicus Minimum 60% (HPLC) Lyophilized powder purified by ion-exchange chromatography. Soe olso: Tissue Culture Media and	50 mg 15.80 100 mg 26.30 250 mg 52.60 1 g 156.95
	FW 284.7 -HYDROXYTRYPTOPHOL (2-[5-Hydroxy-3-indolyl]ethyl	50 mg 11.65 100 mg 16.60		Page 1633 [31282-04-9] C ₂₀ H ₃₇ N ₃ O ₁₃ FW 527.5	
	Approx. 98% Crystalline Sealed ampule. [154-02-9] CtoH11NO; FW 177.2	500 mg 55.10 1 g 91.40		YOCHOLIC ACID (5β-Cholan-24-oic acid- 3α,6α,7α-triol; 3α,6α,7α-Trihydroxy-5β-cholan- 24-oic acid) (547-75-1) C ₂₄ H ₄₀ O ₅ FW 408.6	500 mg 14.70 1 g 23.65 5 g 91.10 10 g 163.90
3-HYDROXYTYRAMINE H 8502 (4-[2-Aminoethyl]-1,2-benzer 3,4-Dihydroxyphenethylamin		1 g 4.85 5 g 12.10 25 g 45.20 100 g 146.80	ŀ	IYODEOXYCHOLIC ACID (3a,6a-Dihydroxy-5ß-cholan-24-oid 5ß-Cholan-24-oid acid-3a,6a-diol)	; acid;
	Dopamine) Hydrochloride Crystalline [62-31-7] C ₆ H ₁₁ NO ₂ • HCI FW 189.6	100 g 140.00	H 3878 ⊞	Free Acid Minimum 98% [83-49-8] C ₂₄ H ₄₀ O ₄ FW 392.6	1 g 8.55 5 g 26.70 25 g 86.75
3-	-HYDROXYTYROSINE See: L-3,4-Dihydroxyphenylalanine	Page 361	H 2392	Sodium Salt Minimum 98% [10421-49-5] C ₂₄ H ₄₀ O ₄ Na FW 415.6	1 g 7.75 5 g 24.30 25 g 78.90
	-HYDROXYURACIL See: Isobarbituric Acid Page 590		H 2517	IYODEOXYCHOLIC ACID METHYL ESTER	1 g 13.05 5 g 41.10
H 8627	YDROXYUREA Crystalline [127-07-1] CH ₄ N ₂ O ₂ FW 76.05	1 g 12.10 5 g 47.95 10 g 67.10 25 g 147.65		(3α,6α-Dihydroxy-5β-cholan-24-oid acid methyl ester) Minimum 98% [2868-48-6] C ₂₅ H ₄₂ O ₄ FW 406.6	25 g 133.85
5- H 8752	-HYDROXYURIDINE (1-β-o-Ribofuranosylisobarbituric	100 g 479.45 100 mg 9.60 1 g 76.65		HYOSCINE See: (—)Scopolamine Page 919	
6	acid) Crystalline [957-77-7] C ₉ H ₁₂ N ₂ O ₇ FW 260.2	18 70.00	'	-HYOSCYAMINE ([3(S)-endo]-α-[Hydroxymethyl]ben 8-methyl-8-azabicyclo[3.2.1]oct-3-	
6 H 8005	-HYDROXYURIDINE (1-β-ο-Ribofuranosylbarbituric acid)	5 mg 33.60 100 mg 301.05	₩ 9002 ©5©	Free Base Crystalline [101-31-5] C ₁₇ H ₂₃ NO ₃ FW 289.4	5 g 22.10 10 g 36.79 FOB Sigma
	Approx. 98% [19556-63-9] C ₉ H ₁₂ N ₂ O ₇ FW 260.2	1	H 6128	Hemisulfate Salt Crystalline [620-61-1] C ₁ ,H ₂₃ NO ₃ • 1/2H ₂ SO ₄	5 g 13.50 FOB Sigma
6· H 8880 -@@	-HYDROXYURIDINE 5-MONOPHOSPHATE (1-β-ο-Ribofuranosylbarbituric acid 5'-monophosphate) Sodium Salt: Approx. 98% [103404-93-9] C ₂ H ₁₃ N ₂ O ₁₀ P FW 340.	1 mg 17.80 5 mg 57.40 25 mg 189.00	🕳	FW 338.4 Hydrobromide Crystalline (306-03-6) C ₁ ;H ₂₃ NO ₃ • HBr FW 370.3	5 g 14.9 10 g 24.0 FOB Sigma
	acid)	- (IOI 1166	<u> </u>		(Continued)

570

Shipping information - page 5.

How to use price list - page 7.

H 6

METHYL ACETIN

METHYL ACETO M 4376 (3-Oxobutano

ester; Acetoa

ester) Approx. 99% d = 1.08 g/m [105-45-3] Cst 2-METHYLACET M 0145 (Methyl o-tol) d = 1.03 g/n [577-16-2] Cal 3-METHYLACE1 M 9520 (Methyl m-to d = 0.99 g/s [585-74-0] Ca 4-METHYLACE M 0765 Approx. 959

d = 1 g/ml [122-00-9] C METHYL 3a-A See: 5β-Cho Methyl Este METHYL 3a-A See: 5a-Chc Methyl Este 6a-METHYL-1 See: 6a-Me Page 684 2-O-METHYL-M 6405 NEURAMIP (a-o-Neu-5

M 3880 Hydrochloride 878 Approx. 95% [14777-27-6] C FW 109.6

(O-F-C)

·o·c

Approx. 9! Model con enza virus Ref.: 1. Sa (1989). 2. Daman 47 (1982) [50930-22

bis-N-METH M 8010 NITRATE EE (N,N'-Dim dinitrate; [2315-97-FW 510.5 1-METHYL M 4876 (6-Amino White po [5142-22-2-METHYL M 7007 (6-Aming Hemisul Crystalli [74873-1 FW 198 3-METHYL

M 9281

(6-Amin Standar carcino [5142-2

ALPHABETICAL LIST OF COMPOUNDS

PRODUCT		us s l P	PRODUCT US \$ NUMBER
N-Mi M 4765 PI	DO VAL D NITROANII IDE	15.501	5-METHOXYTRYPTOPHOL 25 mg 12.75 M 4126 [712-09-4] C ₁₁ H ₁₃ NO ₂ FW 191.2 50 mg 20.75 100 mg 33.80 250 mg 66.45 500 mg 110.20
C	hem., 254 , 4027 (1979). 20967-90-71 C27H39N ₆ O3 FW 590.6		3-METHOXYTYRAMINE Soo: Forensic Chemistry Page 1832
6-M	IETHOXY-1-(3-SULFONATOPROPYL) iso: 3-(6-Methoxyquinolino)propane: page 671 IETHOXY-N-(3-SULFOPROPYL)QUIN NNER SALT Soc: 3-(6-Methoxyquinolino)propane	OLINIUM	3-METHOXY-o _L -TYROSINE 25 mg 6.00 M 1132 (o _L -4-Hydroxy-3-methoxy- phenylalanine; o _L -3-O-Methyl- DOPA) 1 g 74.80 Crystalline (4214-13-5] C ₁₀ H ₁₃ NO ₄ FW 211.2
6-N M 0897	Poge 671 METHOXY-1,2,3,4-TETRAHYDRO- 9H-PYRIDO[3,4-β INDOLE (6-Methoxy-1,2,3,4-tetrahydro-β-cal 6-Methoxytryptoline; Pinoline) (20315-68-8) C ₁₂ H ₁₁ N ₂ O FW 202.3	100 mg 20.50	3-METHOXY-L-TYROSINE 50 mg 52.90 M 4255 (4-Hydroxy-3-methoxy-250 mg 193.75 L-phenylalanine; L-3-O-Methyl-DOPA) Hydrate Off white to yellow powder
M 8130 — (+ M 9510	METHOXY-1-TETRALONE (1078-19-9) C ₁₁ H ₁₂ O ₂ FW 176.2 -}-a-METHOXY-a-TRIFLUORO- METHYLPHENYLACETIC ACID	10 g 14.65 100 g 71.00 100 mg 10.60 250 mg 21.20	5-METHOXYURIDINE 25 mg 19.10 50 mg 34.15 50 mg 34.15 250 mg 102.35
<u></u>	((+)-MTPA) (20045-31-2) C ₁₀ H ₉ F ₃ O ₃ FW 234.2 -)-a-METHOXY-a-TRIFLUORO- METHYLPHENYLACETIC ACID ((-)-MTPA)	1 g 70.65 5 g 247.25 100 mg 13.05 250 mg 24.80 1 g 82.65	METHOXYVERAPAMIL 25 mg 13.60 50 mg 23.70 50 Hydrochloride 250 mg 89.45
	[17257-71-5] C ₁₀ H ₉ F ₃ O ₃ FW 234.2	250 mg 30.3	METHSCOPOLAMINE BROMIDE See: Scopolamine, Methyl Bromide Page 919
N M 8272 ©≅3	IG-(4-METHOXY-2,3,6-TRI- METHYLBENZENESULFONYL)- L-ARGININE [80745-10-4] C ₁₆ H ₂₆ N ₄ O ₅ S	500 mg 54.4 1 g 97.8	METHSCOPOLAMINE NITRATE See: Scopolamine, Methyl Nitrate Page 919
	FW 386.5 5-METHOXYTRYPTAMINE (3-[2-Aminoethyl]-5-methoxyindol	e; O-Methyl-	M 0257 a-0-GLUCOPYRANOSIDE 25 mg 23.70 100 mg 63.30 250 mg 125.50
M 7002	serotonin) Free Base Off-white to tan crystals. [608-07-1] C ₁₁ H ₁₄ N ₂ O FW 190.2	100 mg 9.0 500 mg 26.0 1 g 43.4 10 g 349.1	00 M 1516 β-ο-GLUCOPYRANOSIDE 10 mg 25.95 45 Θ-35 [3946-01-8] C ₉ H ₁₇ NO ₆ FW 235.2 50 mg 95.95
М 6628 ©эс	Hydrochloride White crystals. [66-83-1] C ₁₁ H ₁₄ N ₂ O • HCl FW 226.7	50 mg 10.1 100 mg 15. 250 mg 30. 500 mg 55. 1 g 84.	50 M 0775 2-DEOXY-β-σ-GLUCO- 5 mg 69.30 15 15 25 25 27 29 16 27 27 27 27 17 27 27 27 18 27 27 19 27 27 19 27 27 20 27 27 21 27 27 22 27 27 23 27 27 24 27 27 25 27 27 26 27 27 27 28 27 29 27 20 27 20 27 20 27 20 27 21 27 22 27 23 24 27 25 26 27 27 28 29 27 20 20 21 21 22 23 24 25 27 27 28 28 29 20 20 20 20 20 21 21 22 23 24 25 26 27 27 28 28 29 20 20 20 21 21 22 23 24 25 26 27 28 27 28 28 28 29 20
M 3653	5-METHOXYTRYPTAMINE-d₄ 5 mg 79. M 3653 (3-{2-Amino(ethyl-d₄)}-5-methoxy-10 mg 142.3 indole) Hydrochtoride 98 atom 1/4 D Ref.: 1. Gunther, J., et al., Acta Chem. Scand. B, 39, 849 (1985). 2. Shaw, G.J., et al., Biomed. Mass Spect., 4, 344		tococcus pneumoniae, and H. Influenzae. Ref.: 1. Brockhausen, I., et al., Eur. J. Biochem., 157, 463 (1986). 2. Leffler, H. and Barondes, S.H., J. Biol. Chem., 261, 10119 (1986). 3. Andersson, B., et al., J. Infect. Dis., 153, 232
M 738	(1977). 66521-35-5] C ₁₁ D ₄ H ₁₀ N ₂ O • HCl 6-METHOXYTRYPTAMINE 34 (3-[2-Aminoethyl]-	FW 230.7 25 mg 10 100 mg 28 250 mg 49 1 g 15	METHYL 6-0-(2-ACETAMIDO- 5 mg 31.9 mg 125.7 m
M 400	5-METHOXY-DL-TRYPTOPHAN 01 Light yellow crystals.	25 mg 50 mg 1 100 mg 1 500 mg 6 1 g 10	(1975). (1975). 2. Ogawa, T. and Nakasayashi, S., Agric. Biol. Chem., 45, 2329 (1981). Chem., 45, 2329 (1981). FW 397 4

M

М

2-METHYLTHIOPHEN
1394 d = 1.01 g/ml
622 (554-14-3) C₅H₆S F\
3-METHYLTHIOPHEN

M 8014 d = 1.02 g/ml E339 [616-44-4] C₅H₆S F\

	PRODU NUMBE		us	PRODU	CT	
	••••	12-METHYLTETRADECANOIC	25 mg 60.0		5-METHYL-2-THIOCYTOSINE	USS
	M 366	4 ACID 图 <i>[5502-94-3]</i> C ₁₄ H ₂₈ O, FW 228.4	100 mg 185.0		2 (4-Amino-5-methyl-2-thio- pyrimidine)	100 mg 22.95 500 mg 76.45
	M 270	12-METHYLTETRADECANOIC ACI		ō	Light yellow crystals. [7390-56-9] C ₅ H ₇ N ₃ S FW 141.2	_
	m 3/6		100 mg 185.0	o i	2-(METHYLTHIO)ETHANOL 8 (2-Hydroxyethyl methyl sulfide; 2-(Methylmercapto)ethanol)	10 g 13.35 50 g 40.65
_		13-METHYLTETRADECANOIC ACI See: 13-Methylmyristic Acid Pos	D 20 686		d = 1.06 g/ml 	FOB Sigma
		4-O-METHYL-12-O-TETRADECANO		- M 814	METHYL β-o-THIOGALACTOSIDE 6 (Methyl β-o-thiogalacto-	100 mg 9.85
		ACETATE See: Phorbol 12-Myristate 13-A Ether Page 801		ESTS	pyranoside; TMG)	250 mg 21.05 500 mg 37.25 1 g 66.45
		5-METHYLTETRAHYDROFOLIC AC	diD	` 	METHYLTHIOHYDANTOIN AMINO	5 g 261.65 100 mg 8.35
		(5-Methyl-5,6,7,8-tetrahydropte acid)		O-3-C	ACIDS (MTH-Amino acids)	250 mg 16.65 500 mg 27.70
	M 775	We also offer: Dihydrofolic Acid Tetrahydrofolic Acid Page 970		M 338	Purity usually approx. 95% MTH-ot-Alanine	300 mg 27.70
	m //ɔ⁴	Barium Sait Approx. 90%	10 mg 29.10 25 mg 53.05	M 3500		
		Tan powder. Sealed ampule.	10 × 1 mg 78.20	M 7381	[59865-21-31 CaH INDICATE TO 158 2	•
		[68703-91-3] C20H23N7O6Ba	100 mg 173.95 500 mg 686.30	21.	[24619-04-37 C.H., N.OS FW 158 2	
		FW 594.8		M 3756	MTH-oL-Arginine Hydrochloride (3119-96-8) C ₈ H ₁₅ N ₅ OS • HCI FW 2	65 B
	- <u>66</u> wii 13⊈3	Magnesium Salt Approx. 90%	5 mg 26.35 10 mg 43.00		MTH-ou-Aspartic Acid	03.0
		Off-white to tan powder. Sealed ampule.	25 mg 85.05	M 4131	[28868-14-6] C ₆ H ₈ N ₂ O ₃ S FW 188.2 MTH-or-Glutamic Acid	
		[104809-07-6] C ₂₀ H ₂₃ N ₇ O ₆ Mg FW 481.8	100 mg 234.75	1	[1801-64-5] C ₂ H ₁₀ N ₂ O ₃ S FW 202.2 MTH-oL-Glutamine	
	M 0132			M 4381	(1968-37-2) C ₇ H ₁₁ N ₃ O ₂ S FW 201.2 MTH-Glycine	
	-o-c	Approx. 90%	5 mg 26.35 10 mg 43.00	l	(694-68-8) C4H6N2OS FW 130.2	
		Tan powder. Sealed ampule.	25 mg 85.05 100 mg 234.75	1	(5174-78-7) CaH10NaOS FW 210 3	
		[68792-52-9] C ₂₀ H ₂₃ N ₇ O ₆ Na ₂ FW 503.4	B 204,70	M 4631	MTH-DL-Hydroxyproline (104809-12-3) C ₂ H ₁₀ N ₂ O ₂ S FW 186.	•
-		L-6-METHYL-5,6,7,8-TETRA-	10 11 00	M 4756	M I M-DL-ISOleucine	2
ħ	4758 GGC	HYDROPTERINE	10 mg 14.80 50 mg 47.50	M 4881	[704-06-3] C ₈ H ₁₄ N ₂ OS FW 186.3 MTH-0L-Leucine	
	رعين	(6-MPH ₄ ; pt-2-Amino- 4-hydroxy-6-methyl-	100 mg 85.30	M 5006	[1076-72-8] C ₈ H ₁₄ N ₂ OS FW 186.3 MTH-(ε-Methylthiocarbamyl)-p _L -Lys	
		5,6,7,8-tetrahydropteridine) Dihydrochloride		l	[3120-19-2] C ₁₀ H ₁₈ N ₄ OS, FW 274.4	sine
		Approx. 95%		M 5131	MTH-DL-Methionine [877-49-6] C ₇ H ₁₂ N ₂ OS ₂ FW 204.3	
		Crystalline Synthetic cofactor for tyrosine hy	vdrolase	M 5256	MTH-or-Norleucine	
		Ref.: 1. Bostwick, J.R., and Wei-D Biochem., 192, 125 (1991).	ong, L., Anal.	M 5381		
		2. Naoi, M., et al., J. Chromatogr.	, 427 , 229	M 5506	[104809-15-6] C ₇ H ₁₂ N ₂ OS FW 172.2 MTH-pt-Phenylalanine	
_		(1988). <i>[69113-63-9]</i> C₁H ₁₁ N₅O • 2HCI FW	254.1	M 5631	/30615-87-31 CH., N.OS FW 220 3	
	4	METHYL-5-THIAZOLEETHANOL			[1968-34-9] C,H10N2OS FW 170.2	\bigcirc
-		See: 4-Methyl-5-(B-hydroxyethyl)t		M 6006	/4311-88-01 CH., N.OS FW 250 3	40
М	1404 M	ETHYL-(5-[2-THIENYLCARBONYL]- 1H-BENZIMIDAZOL-2-YL)-	2 mg 9.20 10 mg 28.35	M 6131	MTH-ot-Tyrosine	•
	O-5°C	CARBAMATE (Nocodazole)	50 mg 96.40	M 6256		
		Crystalline			[700-29-8] C,H ₁₂ N ₂ OS FW 172.2	
_		[31430-18-9] C14H11N3O3S FW 301.	3	M 3631	-METHYLTHIO-2-HYDROXY- PURINE	100 mg 9.35 250 mg 17.60
	M	ETHYL 2-THIENYL KETONE See: 2-Acetylthiophene Page 36		- <u>0-c</u>	Approx. 95% Crystalline	1 g 47.25
METHYLTHIOADENOSINE See: 5'-Deoxy-5'-methylthioadenosine Page 324				[22514-96-1] C6H6N4OS FW 182.2	5 g 162.30	
	4-(METHYLTHIO)-m-CRESOI	100 g 8.85	N M 4793	-{bis(METHYLTHIO)METHYLENE}- p-Toluenesulfonamide	5 g 13.00
M	5128	(3-Methyl-4-[methylthio]phenol; MTMC)	FOB Sigma		Minimum 98% (TLC)	25 g 43.50
		Crystalline			[2651-15-2] C ₁₀ H ₁₃ NO ₂ S ₃ FW 275.4 ETHYLTHIONINE CHLORIDE	
_		3120-74-91 CaH ₁₀ OS FW 154.2			See: Methylene Blue Page 679	
69	12	 Shipping inform 	ation - page 5.	Ho	w to use price list - page 7.	

5-METHYL-2-THIOPF M 8139 CARBOXALDEHYD 8330 d = 1.17 g/ml [13679-70-4] C6H6S ◆ 4-(METHYLTHIO)PHI # 5667 (MTP) Approx. 95% [1073-72-9] C,H8O: β-METHYLTHIOPRO See: Methional Pag 2-METHYL-2-THIOP See: S-Methylisott 6-METHYLTHIOPUR See: 6-Methylmer 4 or 6-METHYL-2-TI See: 4-Hydroxy-6 Page 561 5-METHYL-2-THIOU M 2516 (4-Hydroxy-2-me 5-methylpyrimidi (876) [636-26-0] C5H6N; N-METHYLTHIOUR M 0520 [598-52-7] C2H6N: 5-METHYL-2-THIOI M 8012 [32738-09-3] C₁₀+ O-METHYL-L-THRE M 1630 (∟-Threonine me ©==© Crystalline [4144-02-9] C5H1 2-O-METHYLTHYM M 6273 [37085-48-6] C₁₁| ©C FW 256.3 3-METHYLTHYMIE M 3518 [958-74-7] C₁₁H₁ Ecc FW 256.3 4-O-METHYLTHYN M 6398 [50591-13-4] C₁₁
EEE FW 256.3 1-METHYLTHYMII M 7636 (2,4-Dihydroxy তক্ত pyrimidine) [4160-72-9] C6H METHYLTHYMOL M 2255 (3,3'-bis[N,N'-[aminomethyl]tl phthalein; MTE Sodium Salt pH 6.5 (yellow [1945-77-3] C37 ◆ METHYL p-TOLU M 5635 d = 1.23 g/ml ☐ Cancer suspec [80-48-8] CaH 10 METHYL 2,3,4-T 8656 β-0-THIOGALA GEG URONIC ACID [129541-34-0] FW 364.4

ALPHABETICAL LIST OF COMPOUNDS

M

4-METI

4-METI

4-METI

4-METI M 6018 β-D-(ΘΞΕ (726. FW 5

Ref.: 160, [843. 4-METI M 9763 β-p-1 ΘΕ CHIT Mini

[536. FW 5

[690 4-METI M 5510 β-p-1 ΘΦΘ (4-M

β-o-f **Crys** [554,

4-METI ₩ 8527 a-t-F Subs

[543. FW :

β-L-f **Crys** [726:

4-MET

a-D-(a-D-E Crys [385: 4-METI ₩ 1633 β-p-(∰ (MU)

β-D-§ Crys [616]

4-MET1 4508 β-L-F ΘΣΞ (4-Μ

₩ 7633 ©20

4-METI M 4903 ELAI 559 95-9

4-METI M 1532 β-o-(©±© Appi Chro

4-MEII M 8880 a-L-A GGC Crys (694 FW 3

M 7759 © Crys

M 9519 9519 α-L-**A E** May

meth

[774.

PRODU NUMBI		us:	PRODUC	т .	
	5-METHYLTRYPTAMINE	50 mg 7.25			US 1
M 82	52 Hydrochloride	100 mg 12.05	M 9008	a-METHYL-DL-M-TYROSINE	100 mg 10,75
-0-	S Off-white crystals.	250 mg 24.10	5 ESTG		250 mg 20.80
	[55795-89-6] C ₁₁ H ₁₄ N ₂ • HCl	500 mg 43.45	(3	tee a motify o to high oxy-	1 g 54.75
	FW 210.7	1 g 76.65		phenyl]alanine methyl ester) Hydrochloride: Monohydrate	5 g 193.55
	7-METHYLTRYPTAMINE		-	(96687-21-7) C ₁₁ H ₁₅ NO ₃ • HCl • H	0 EW 202 7
M 800	02 Crystalline	100 mg 15.05 500 mg 45.40			20 FW 263.7
- 5₹		1 g 74.80	/ Lu 2201	a-METHYL-DL-P-TYROSINE	250 mg 8.30
	FW 174.2	18 /4.00	m 3201	METHYL ESTER	1 g 21.25
	N-METHYLTRYPTAMINE		. 😅	(pt-2-Methyl-3-[4-hydroxy-	5 g 83.05
	See: Forensic Chemistry Page 18		ı	phenyl]alanine methyl ester) Hydrochloride	25 g 332.65
		32	.	Approx. 98% (TLC)	
M 027	a-METHYL-oL-TRYPTOPHAN	100 mg 17.60		[7361-31-1] C11H15NO3 • HCI FW 2	A
m oa/	77 Light yellow crystals.	250 mg 38.25		A BAPTANYA MARKETTA A STATE OF THE TANK A	.43.7
10-31	E [153-91-3] C ₁₂ H ₁₄ N ₂ O ₂ FW 218.3	500 mg 69.30		4-METHYLUMBELLIFERONE	
		1 g 115.25		(7-Hydroxy-4-methylcoumarin; β-Methylumbelliferone)	
	1-METHYL-DL-TRYPTOPHAN	100 mg 17.75			
	4 Approx. 95%	250 mg 35.45	J m 1301	Free Acid	25 g 8.65
RT	to tall politici.	500 mg 63.90		Off-white to yellow crystals.	100 g 23.95
	<i>(26988-72-7)</i> C ₁₂ H ₁₄ N ₂ O ₂ FW 218.3	1 g 97.80	1	Highly fluorescent in alkaline solution.	500 g 80.95
				[90-33-5] C ₁₀ H ₈ O ₃ FW 176.2	
MOFO	4-METHYL-DL-TRYPTOPHAN	50 mg 29.20	M 1508		
m 63U. <u>⊙372</u>	2 [1954-45-6] C ₁₂ H ₁₄ N ₂ O ₂ E FW 218.3	250 mg 96.80	IM 1300	Sodium Satt Approx. 98%	10 g 12.50
		1 g 290.05] =	Yellow crystals.	25 g 23.10
	5-METHYL-DL-TRYPTOPHAN	100 mg 16.95		[5980-33-6] C ₁₀ H ₂ O ₃ Na FW 198.2	100 g 64.93
M 053	4 Crystalline	250 mg 33.80			· ·
0-50	³ [951-55-3] C₁₂H₁₄N₂O₂ FW 218.3	500 mg 60.85	M 1255	METHYLUMBELLIFERONE	250 mg 6.20
		1 g 116.85		METHYLENEIMINODIACETIC ACID	1 g 13.10
		5 g 408.15] =	(Calcein Blue)	5 g 42.10
		25 g 1360.20	ŀ	Crystalline	10 g 69.30
4 075	6-METHYL-DL-TRYPTOPHAN	25 mg 11.80	l	A metallofluorochromic indicator	for EDTA titeation
m 6/34 ⊡⊴c	2 Light yellow to orange crystals.	100 mg 31.30		of calcium at high pH and copper,	nickel and
030	[2280-85-5] C ₁₂ H ₁₄ N ₂ O ₂ FW 218.3	500 mg 101.50	ĺ	CODAIT AT IOW DH.	, that of one
,		1 g 168.30		[54375-47-2] C ₁₅ H ₁₅ NO, FW 321.3	
M 9270	7-METHYL-DL-TRYPTOPHAN 3 Off-white crystals.	25 mg 9.60	4	-METHYLUMBELLIFERYL	25 mg 18 0c
₩ 6373 6 3 76	Un-write crystals.	100 mg 23.55	M 6634	2-ACETAMIDO-4.6-0-BEN-	50 mg 31 /6
(2.2)	[17332-70-6] C ₁₂ H ₁₄ N ₂ O ₂ FW 218.3	500 mg 72.90	-o-c	ZYLIDENE-2-DEOXY-	250 mg 123.15
		1 g 120.05		β-D-GLUCOPYRANOSIDE	•
	Na-METHYL-L-TRYPTOPHAN			[55673-91-1] C25H25NO8 FW 467.5	
	See: L-Abrine Page 18		4	METHYLUMBELLIFERYL ACETATE	1 g 5 6 5
M 0077	a-METHYL-ou-m-TYROSINE	100 mg 14.85	M 0883	Crystalline	5 g 16 16
M 8877		250 mg 29.65		[2747-05-9] C12H10O4 FW 218.2	10 g 27 A
(25)	phenyl)alanine]; a-MMT) Crystalline	500 mg 49.35	4	-METHYLUMBELLIFERYL	1 mg 14 40
	[62-25-9] C ₁₀ H ₁₃ NO ₃ FW 195.2	1 g 82.25	M 9881	N-ACETYL-a-D-GLUCOSAMINIDE	5 mg 57 %
		5 g 325.80	-9°C	(4-Methylumbelliferyl	25 mg 22/16
M 7628	a-METHYL-or-p-TYROSINE (or-2-Methyl-3-[4-hydroxy-	250 mg 6.05		2-acetamido-2-deoxy- a-o-glucopyranoside)	
	phenyl]alanine)	1 g 14.05		Fluorogenic substrate for N-acetyl	
_	Crystalline	5 g 54.20		a-0-glucosaminidase	• 1
	[658-48-0] C ₁₀ H ₁₃ NO ₃ FW 195.2	25 g 179.70		Ref.: Chow, P. and Weissmann, B.,	Carhohydr
	2-METHYL-L-P-TYROSINE			res., 96, 8/ (1981).	
M 8131	(i-2-Methyl-3-[4-hydroxy-	25 mg 9.05		[80265-04-9] C ₁₈ H ₂₁ NO ₈ FW 379.4	1
-5-C	phenyl]alanine)	100 mg 23.05 250 mg 44.90	4-	METHYLLIMRELL IEEDVI	25 mg 12 /g
	Crystalline		M 2133	N-ACETYL-β-D-GLUCOSAMINIDE	100 mg 3.1 a4
	[672-87-7] C10H13NO3 FW 195.2	1 g 118.50 5 g 482.45	- <u>o-c</u>	(4-Methylumbelliferyl	250 mg 67 54
	D-METHYL-DL-TYROSINE			2-acetamido-2-deoxy-	1g 18/43
M 8504		25 mg 7.55		β-p-glucopyranoside)	
- 0 *C	White powder.	100 mg 18.15 500 mg 55.45		Crystalline	
	[7635-29-2] C ₁₀ H ₁₃ NO ₃	1 g 91.55		[37067-30-4] C ₁₈ H ₂₁ NO ₈ FW 379.4	
	FW 195.2		2'.	(4-METHYLUMBELLIFERYL)-	1 mg 20 me
0	-METHYL-L-TYROSINE		M 8639	a-o-N-ACETYLNEURAMINIC ACID	5 mg 69 /4
_	(4-Methoxy-t-phenylalanine)		- 0 -0	Sodium Salt Purity approx. 95% by HPLC:	25 mg 230 /+
M 4775	Free Base	100 = 10.05		approx. 90% by enzymatic assay w	.*AL
E07C	[6230-11-1] C ₁₀ H ₁₃ NO ₃ FW 195.2	100 mg 12.05		neuraminidase (pH 5.5 37°C)	3
_	7 VIOLISMOS FW 133.2	250 mg 23.35 1 g 57.05		Useful for the assay of neuraminide	asa 1
		1 g 57.05 5 g 204.35		Ref.: 1. Potier, M., et al., Anal. Bioc	them 94 2=1
M 5149	Hydrochloride			(13/3).	
-92G	[67423-44-3] C ₁₀ H ₁₃ NO ₃ • HCl	250 mg 11.55		2. Myers, R.W., et al., Anal. Bioche	m., 101, 166
	FW 231.7	1 g 29.90 5 g 106.65		(1960).	3
604				[76204-02-9] C21H24NO11Na FW 489.	4
694 ◆ Shipping information - page 5. How to use price list - page 7.					

Search Results 20 Compound(s) found.

Edit Query

Review Selection

Multiple Structure View

Compounds from a search of the Sigma-Aldrich database using the substructure of Formula III

Search Results 20 Compound(s) found.

Edit Query

Review Selection

Multiple Structure View

11

20



- ± 2-CHLORO-1H-INDOLE-3-...
- **→ 7-BENZYLOXY-1H-INDOLE...**
- ⊕ 1-BENZYLINDOLE-3-CARB...
- € 5-METHYLINDOLE-3-CARB...
 - **⊕** 5-BENZYLOXYINDOLE-3-C...
 - **⊕** 1-(PHENYLSULFONYL)-3-...
 - **⊕** 5-CHLOROINDOLE-3-CARB...
 - **±** 2-(4-FLUOROPHENYL)-1H...
 - **⊕** 2-PHENYLINDOLE-3-CARB...

<< Prev

Next >>